

GLOSSARY OF TERMS

TERM	DEFINITION	PRODUCT GROUP
Access Bends	A fitting that joins two pipes at an angle with an access point.	DWV and Stormwater Systems
Access Junctions	A fitting that joins three pipes together by splitting the flow from one pipe to two with an access point.	DWV and Stormwater Systems
BAR rating	Pressure rating for pipes - see PN Rating.	PVC Pressure Systems
Blue hose	Light and flexible plasticised PVC hose for use in suction and discharge of a wide variety of liquids.	Other Piping
Bubble-up Sump	A drainage system that is a pipe or chamber allowing water from a drain to enter low and rise to the top before flowing out again.	Stormwater Collection and other Drainage
Bushes	A fitting used inside sockets, flange end of pipe, to join two pipes of different sizes - see Socket Reducer.	DWV and Stormwater Systems
Channel & Grate	A prefinished system to collect water from sealed areas and discharge into a stormwater pipe or sump/pit.	Stormwater Collection and other Drainage
Chemical waste pipe	Polypropylene pipes appropriate for chemically aggressive waste water - see Commercial Waste.	Commercial Waste
Clips (Pipe clips)	A bracket used to support pipes either by hanging, vertical or horizontal.	Commercial Waste
Commercial Waste	Polypropylene pipes appropriate for high temperature and chemically aggressive waste water.	Commercial Waste
Conduit and Duct	PVC pipe used to convey and protect electrical wires.	Conduit and Duct
Cross Tee	A fitting used to join four pipes together and the intersection is 88-90 degrees. Also known as double junction.	DWV and Stormwater Systems
Culvert calculator	Free online tool used to determine the size culvert pipe you need for your job.	EUROFLO® Culvert Pipe
Culvert Fluming	PVC or culvert pipe half-rounds used to direct water flow from the end of a culvert pipe system.	Gateway Culvert Pipe
Culvert Pipe	Pipe suitable for use in culvert systems - see EUROFLO® Culvert pipe and Gateway Culvert pipe.	EUROFLO® Culvert Pipe
Culvert Sock	Filter sock made of fabric used to direct water flow from the end of a culvert pipe system.	Gateway Culvert Pipe EUROFLO® Culvert Pipe
Dazzle	Aerosol paint, generally fluorescent, used to paint lines on surfaces - see Spray Well.	Mozzie Glue, Aerosol Paint and Accessories

TERM	DEFINITION	PRODUCT GROUP
Downpipe and Fittings	PVC downpipe and fittings used to direct water flow from the gutter.	Downpipe and Fittings
Drain rods	Tool used for drain cleaning and unblocking to join onto a variety of attachments.	Test Plugs
Drainaway	Punched and unpunched coils of flexible pipes, ribbed inside and outside.	Other Piping
Earthenware Adaptors	PVC adaptors used to fit over and in PVC, earthenware and clay pipes.	DWV and Stormwater Systems
Electrical Pipe	PVC pipe appropriate to convey and protect electrical wires - see Conduit and Duct.	Conduit and Duct
Epoxy Mortar	Mortar system used to fix cracks and bond materials together.	Mozzie Glue, Aerosol Paint and Accessories
EUROFLO® Culvert Pipe	Strong HDPE culvert pipe with a ribbed exterior and smooth bore. Suitable for all farming and roading jobs.	EUROFLO® Culvert Pipe
Eurosumps	Drainage collection for concrete or sealed areas, includes sumps, lids and grates.	Stormwater Collection and other Drainage
Fernco Plumbqwik	Brand name for connectors used to join pipes made from a wide variety of materials.	Flexible Connectors
Fibreglass Grating	Grating made from fibreglass for use in all domestic and industrial stormwater systems.	Stormwater Collection and other Drainage
Filter Cloth	Material used to envelope drainage systems to prevent foreign bodies entering the water system.	Stormwater Collection and other Drainage
Flap-valve	A fitting used on pipes to ensure flow of water and materials can only go in one direction.	DWV and Stormwater Systems
Flexible Connectors	Flexible PVC plumbing couplings for repair and connections suitable for use with most pipe materials.	Flexible Connectors
Fresh Air Vent	A fitting used to vent a septic tank or unvented council sewer system.	DWV and Stormwater Systems
Gateway Culvert Pipe	Culvert pipe made from uPVC with a smooth interior and exterior suitable for all rural systems.	Gateway Culvert Pipe
Go-In System	Specifically made for EUROFLO® culvert pipe, this system allows branches to be installed directly into the side of EUROFLO® culvert systems.	EUROFLO® Culvert Pipe
Grating	Grating drainage system - see Fibreglass grating.	Stormwater Collection and other Drainage
Gutter attachments	Fittings used to fix downpipe to surfaces - see Holderbats and Munzing Rings.	Downpipe and Fittings
HDPE Pipe	Pipe made from High Density Polyethylene - see EUROFLO® Culvert pipe.	EUROFLO® Culvert Pipe
High temp	Polypropylene pipes appropriate for high temperature water - see Commercial Waste.	Commercial Waste
Holderbats	Fully adjustable aluminium clips used to fix pipes to surfaces. Works best vertically.	Downpipe and Fittings
Inspection Bends	A fitting that joins two pipes at an angle with an access point - See Access Bends.	DWV and Stormwater Systems
Inspection Junctions	A fitting that joins three pipes together by splitting the flow from one pipe to two with an access point - see Access Junctions.	DWV and Stormwater Systems
Joiner	A fitting used to join 2 pipes together. Also known as coupling.	DWV and Stormwater Systems
Large culverts	Culvert pipe with a diameter of above 1550mm in external diameter.	EUROFLO® Culvert Pipe
Left-hand inspection	A fitting used to join three pipes together horizontally with an access point on the left-hand side when looking upstream from water flow - see Access Junctions.	DWV and Stormwater Systems
Line Marking paint	Aerosol paint used to paint permanent lines on surfaces - see Spray Well.	Mozzie Glue, Aerosol Paint and Accessories

TERM	DEFINITION	PRODUCT GROUP
Long Radius Bend	PVC bend fitting used to convey and protect electrical wires.	Conduit and Duct
Lube	Lubricant to assist the joining of pipes into socket that have a rubber ring jointing system.	Mozzie Glue, Aerosol Paint and Accessories
Marker Paint	Aerosol paint used to paint lines on surfaces - see Spray Well.	Mozzie Glue, Aerosol Paint and Accessories
Mozzie glue	A premium solvent cement used to chemically weld pipes together.	Mozzie Glue, Aerosol Paint and Accessories
Munzing Rings	Two-piece zinc plated ring used to fix pipes to surfaces. Accessories available include base plates and rods.	Downpipe and Fittings
Nexus	Brand name for coils of flexible pipes smooth inside and ribbed outside - see Smooth bore EUROFLO®.	Other Piping
Non-Return Valve	A fitting used in pipelines to ensure water flows in only one direction - see Flap-valve.	DWV and Stormwater Systems
Novaflo	Brand name for punched and unpunched coils of flexible pipes, ribbed inside and outside - see Drainaway.	Other Piping
Permanent Paint	A term contractors use to describe paint that will be there for the long term rather than fluoro type temporary markers. Used to highlight where work is to be done.	Mozzie Glue, Aerosol Paint and Accessories
Pipe bungs	Term used for a tool to stop water flow - see Pipe plugs.	Test Plugs
Pipe clips	Plastic or metal clips used to fix pipes to surfaces, stand off or flush.	DWV and Stormwater Systems
Pipe glue	A solvent cement used when fixing pipes to fittings - see Mozzie glue.	Mozzie Glue, Aerosol Paint and Accessories
Pipe pigs	Term used for a tool to stop water flow - see Pipe plugs.	Test Plugs
Pipe Plugs	Tool used for pipe shut-offs and pressure testing in smaller circular pipes.	Test Plugs
Pipe Plunger	Tool used for drain cleaning and unblocking.	Test Plugs
Pipe reducer	A fitting used inside pipes to join two pipes of different sizes.	DWV and Stormwater Systems
Pipe saddles	Plastic or metal clips used to fix pipes to surfaces, term normally used for flush mounting.	DWV and Stormwater Systems
Pits	Drainage system boxes to collect water - see Sumps.	Stormwater Collection and other Drainage
Plumbqwik	Brand name for connectors used to join pipes made from a wide variety of materials - see Flexible connectors.	Flexible Connectors
PN rating	Pressure rating outlining the maximum permitted operating pressure in pipes.	PVC Pressure Systems
Polypropylene	A synthetic resin which is a polymer of propylene, used chiefly for moulding materials, films or fibres.	Commercial Waste
Primer	Substance used as a preparatory coat on plastic, especially to clean, degrease and soften ready for solvent cement.	Mozzie Glue, Aerosol Paint and Accessories
PVC Culvert	Culvert pipe made from uPVC material - see Gateway Culvert pipe.	Gateway Culvert Pipe
PVC Pressure Systems	PVC Pipes and fittings designed to withstand a range of pressures.	PVC Pressure Systems
Rear Inspection Junction	A fitting used to join three pipes together horizontally by splitting the flow from one pipe to two with an access point on the rear - see Access Junctions.	DWV and Stormwater Systems
Reducer	A fitting used to join two pipes of different sizes - see Socket reducer and Pipe reducer.	DWV and Stormwater Systems
Reflux valve	A fitting used on pipes to ensure water flows in only one direction - see Flap-valve.	DWV and Stormwater Systems
Ribbed pipe	Pipes with an external rib for extra strength - see EUROFLO® Culvert pipe.	EUROFLO® Culvert Pipe

TERM	DEFINITION	PRODUCT GROUP
Right-hand inspection	A fitting used to join three pipes together horizontally with an access point on the right-hand side, when looking upstream from water flow - see Access Junctions.	DWV and Stormwater Systems
Schedule 40 PVC	PVC pressure system based on wall thickness rather than PN rating.	PVC Pressure Systems
Sealing Cushions	Tool used for pipe shut-offs and pressure testing in all shape pipes using very low pressure to seal.	Test Plugs
Septic Tees	A fitting that inlet has no radius on internal tee intersection.	DWV and Stormwater Systems
Slide Valves	A fitting that controls the flow of water by opening and closing a slide.	DWV and Stormwater Systems
Slotted Pipe	Pipes with a slot pattern drilled into it to allow water to flow in or out of the pipe system as required.	EUROFLO® Culvert Pipe
Smooth bore Euroflo	Coils of flexible pipes smooth inside and ribbed outside.	Other Piping
SN8 culvert pipe	Culvert pipe with a strength rating of 8. Suitable for use with highway and roading systems.	EUROFLO® Culvert Pipe
Socket reducer	A fitting used inside sockets, flange end of pipe, to join two pipes of different sizes.	DWV and Stormwater Systems
Solvent cement	A glue used to fix pipes and fittings - see Mozzie glue.	Mozzie Glue, Aerosol Paint and Accessories
Spray Well	Aerosol paint suitable to use inverted either free-hand or in a paint applicator or trolley.	Mozzie Glue, Aerosol Paint and Accessories
Stiffness Ratings	Measurement of pressure before a pipe become oval - SN Rating.	EUROFLO® Culvert Pipe
Straight Inspection	A fitting used to join two pipes together with an access point on the top.	DWV and Stormwater Systems
Strap Boss	A fitting to make a connection onto existing pipework without cutting in a tee.	DWV and Stormwater Systems
Strip drain	Common term for drainage systems - see Channel & Grate.	Stormwater Collection and other Drainage
Suction hose	Hose that can be used to convey a wide variety of liquids by suction or pressure - see Blue hose.	Other Piping
Sumps	Drainage system boxes to collect water.	Stormwater Collection and other Drainage
Tees	A fitting used to join three pipes together and the intersection is 88-90 degrees. Also known as a square junction.	DWV and Stormwater Systems
Trade waste	Polypropylene pipes appropriate for commercial waste applications - see Commercial Waste.	Commercial Waste
Two Pot Mortar	Mortar system used to fix cracks and bond materials together - see Epoxy Mortar.	Stormwater Collection and other Drainage
Vermin traps	A fitting used on the end of pipes to ensure vermin can not enter pipe - see Flap-valve.	DWV and Stormwater Systems
Water Main access covers	Prefinished cover generally to cover a riser pipe from a valve below to surface.	Stormwater Collection and other Drainage
Watertight Slide valve	A watertight fitting that controls the flow of water by opening and closing a knife-like slide.	DWV and Stormwater Systems
Wind up Test Plug	Term used for a tool to stop water flow - see Pipe plugs.	Test Plugs
Y joiners	A fitting that joins three pipes together by splitting the flow from one pipe to two - see Y junctions.	Other Piping
Y junctions	A fitting that joins three pipes together by splitting the flow from one pipe to two.	Other Piping DWV and Stormwater Systems