

# PIPE WEIGHT, CUBE AND CRATE QUANTITIES

| Pipe Type | Code        | OD (mm) | Nominal (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|-----------|-------------|---------|--------------|------------|-------------|-------------------|-------------|
| DWV       | 100-32-6MI  | 36.2    | 32           | 6          | 2           | -                 | 0.008       |
|           | 100-40-6MI  | 42.8    | 40           | 6          | 2.5         | 140               | 0.011       |
|           | 100-50-6MI  | 55.7    | 50           | 6          | 3.5         | 78                | 0.019       |
|           | 100-65-6MI  | 68.7    | 65           | 6          | 5.5         | 53                | 0.028       |
|           | 100-80-6MI  | 82.3    | 80           | 6          | 7           | 69                | 0.041       |
|           | 100-100-6MI | 110.0   | 100          | 6          | 9.5         | 67                | 0.073       |
|           | 100-100-6MR | 110.0   | 100          | 6          | 11.5        | 50                | 0.073       |
|           | 100-150-6MI | 160.0   | 150          | 6          | 14.5        | 33                | 0.154       |
|           | 100-150-6MR | 160.0   | 150          | 6          | 17.5        | 28                | 0.154       |
|           | 100-175-6MI | 200.0   | 175          | 6          | 22.5        | 18                | 0.240       |
|           | 100-225-6MI | 250.0   | 225          | 6          | 43          | 11                | 0.375       |

| Pipe Type | Code           | OD (mm) | Nominal (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|-----------|----------------|---------|--------------|------------|-------------|-------------------|-------------|
| PRESSURE  | 800-15-6MPN18  | 21.2    | 15           | 6          | 1           | -                 | 0.003       |
|           | 800-20-6MPN12  | 26.6    | 20           | 6          | 1           | -                 | 0.004       |
|           | 800-25-6MPN12  | 33.4    | 25           | 6          | 1.6         | -                 | 0.007       |
|           | 800-32-6MPN12  | 42.2    | 32           | 6          | 2.8         | -                 | 0.011       |
|           | 800-40-6MPN12  | 48.1    | 40           | 6          | 3.5         | -                 | 0.014       |
|           | 800-50-6MPN12  | 60.2    | 50           | 6          | 5.5         | -                 | 0.022       |
|           | 800-65-6MPN12  | 75.2    | 65           | 6          | 8           | -                 | 0.034       |
|           | 800-80-6MPN12  | 88.8    | 80           | 6          | 11          | -                 | 0.047       |
|           | 800-100-6MPN12 | 114.3   | 100          | 6          | 19.5        | -                 | 0.078       |
|           | 800-150-6MPN12 | 160.3   | 150          | 6          | 38.5        | -                 | 0.154       |

| Pipe Type  | Code          | OD (mm) | ID (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|--|---------------|---------|---------|------------|-------------|-------------------|-------------|
| <b>EUROFLO®<br/>RURAL<br/>CULVERTS<br/>SN4<br/>BLACK/GREEN</b> | 520-160-5.8M  | 160     | 136     | 5.8        | 8           | 33                | 0.148       |
|  | 520-200-5.8M  | 200     | 176     | 5.8        | 9           | 18                | 0.232       |
|  | 520-250-5.8M  | 250     | 213     | 5.8        | 16          | 11                | 0.363       |
|  | 520-315-5.8M  | 315     | 273     | 5.8        | 22          | 6                 | 0.576       |
|  | 520-400-5.8M  | 400     | 343     | 5.8        | 38          | 3                 | 0.928       |
|  | 520-500-5.8M  | 500     | 427     | 5.8        | 54          | 2                 | 1.450       |
|  | 520-630-5.8M  | 630     | 532     | 5.8        | 79          | -                 | 2.302       |
|  | 520-800-5.8M  | 800     | 637     | 5.8        | 139         | -                 | 3.712       |
|  | 520-1000-5.8M | 1,000   | 851     | 5.8        | 209         | -                 | 5.800       |
|  | 520-1200-5.8M | 1,200   | 1030    | 5.8        | 305         | -                 | 8.352       |

| Pipe Type  | Code          | OD (mm) | ID (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|--|---------------|---------|---------|------------|-------------|-------------------|-------------|
| <b>EUROFLO®<br/>LARGE DIAM.<br/>SN8<br/>BLACK / BLUE</b> | 560-1300-5.8M | 1300    | 1200    | 5.8        | 319         | -                 | 9.802       |
|  | 560-1500-5.8M | 1500    | 1400    | 5.8        | 445         | -                 | 13.05       |
|  | 560-1700-5.8M | 1700    | 1600    | 5.8        | 568         | -                 | 16.762      |
|  | 560-1900-5.8M | 1900    | 1800    | 5.8        | 792         | -                 | 20.938      |
|  | 560-2100-5.8M | 2100    | 2000    | 5.8        | 978         | -                 | 25.578      |

| Pipe Type         | Code        | OD (mm) | Nominal (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|-------------------|-------------|---------|--------------|------------|-------------|-------------------|-------------|
| <b>STORMWATER</b> | 700-90-6MI  | 90      | 85           | 6          | 7           | 63                | 0.049       |
|                   | 700-150-6MI | 160     | 150          | 6          | 14          | 33                | 0.154       |
|                   | 700-175-6MI | 200     | 175          | 6          | 23          | 18                | 0.240       |
|                   | 700-225-6MI | 250     | 225          | 6          | 33          | 11                | 0.375       |
|                   | 700-300-6MI | 315     | 300          | 6          | 45          | 6                 | 0.595       |

Note: Stormwater series are all SN2 except 90mm that is SN4.

| Pipe Type      | Code       | OD (mm) | Nominal (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|----------------|------------|---------|--------------|------------|-------------|-------------------|-------------|
| <b>GATEWAY</b> | 550-110-5M | 110     | 100          | 5          | 7           | 67                | 0.061       |
|                | 550-160-5M | 160     | 150          | 5          | 11.5        | 33                | 0.128       |
|                | 550-200-5M | 200     | 175          | 5          | 18.5        | 18                | 0.200       |
|                | 550-250-5M | 250     | 225          | 5          | 26.7        | 11                | 0.313       |
|                | 550-315-5M | 315     | 300          | 5          | 38.5        | 6                 | 0.496       |
|                | 550-400-6M | 400     | 375          | 6          | 65.7        | 3                 | 0.960       |

| Pipe Type      | Code       | OD (mm) | Nominal (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|----------------|------------|---------|--------------|------------|-------------|-------------------|-------------|
| <b>CONDUIT</b> | 300-16-4M  | 16      | 10           | 4          | 0.5         | -                 | 0.001       |
|                | 300-20-4M  | 20      | 14           | 4          | 0.6         | -                 | 0.002       |
|                | 300-25-4M  | 25      | 19           | 4          | 0.7         | -                 | 0.003       |
|                | 300-32-4M  | 32      | 26           | 4          | 1.5         | -                 | 0.004       |
|                | 300-40-4M  | 40      | 34           | 4          | 1.8         | -                 | 0.006       |
|                | 300-50-4M  | 50      | 44           | 4          | 2.5         | 78                | 0.010       |
|                | 300-100-6M | 110     | 100          | 6          | 7.8         | 67                | 0.073       |
|                | 300-150-6M | 160     | 150          | 6          | 14          | 33                | 0.154       |

| Pipe Type   | Code          | OD (mm) | ID (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|---|---------------|---------|---------|------------|-------------|-------------------|-------------|
| <b>EUROFLO® CIVIL<br/>CULVERTS<br/>SN8<br/>BLACK/GREY</b> | 560-160-5.8M  | 160     | 135     | 5.8        | 9           | 33                | 0.148       |
|   | 560-200-5.8M  | 200     | 176     | 5.8        | 10          | 18                | 0.232       |
|   | 560-250-5.8M  | 250     | 218     | 5.8        | 18          | 11                | 0.363       |
|   | 560-315-5.8M  | 315     | 273     | 5.8        | 25          | 6                 | 0.576       |
|   | 560-400-5.8M  | 400     | 344     | 5.8        | 43          | 3                 | 0.928       |
|   | 560-500-5.8M  | 500     | 427     | 5.8        | 61          | 2                 | 1.450       |
|   | 560-630-5.8M  | 630     | 533     | 5.8        | 88          | -                 | 2.302       |
|   | 560-800-5.8M  | 800     | 690     | 5.8        | 156         | -                 | 3.712       |
|   | 560-1000-5.8M | 1000    | 853     | 5.8        | 234         | -                 | 5.8         |
| 560-1200-5.8M   | 1200          | 1025    | 5.8     | 342        | -           | 8.352             |             |

| Pipe Type       | Code     | OD (mm) | ID (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|-----------------|----------|---------|---------|------------|-------------|-------------------|-------------|
| <b>DOWNPIPE</b> | RP65-3MI | 68.4    | 66.8    | 3          | 1.7         | 53                | 0.013       |
|                 | RP80-3MI | 80      | -       | 3          | 3.5         | 58                | 0.019       |

| Pipe Type    | Code        | OD (mm) | ID (mm) | Length (m) | Weight (kg) | Crate Size (unit) | Volume (m³) |
|--------------|-------------|---------|---------|------------|-------------|-------------------|-------------|
| <b>COILS</b> | P110-25SB   | 110     | -       | 25         | 12.5        | -                 | 0.400       |
|              | UP110-025SB | 110     | -       | 25         | 12.5        | -                 | 0.400       |

**FOR EXACT ID DIMENSIONS, IF NOT SHOWN HERE, PLEASE CONTACT P&F GLOBAL.**